



# SLH Hamlet Series Luminaires

**CONSTRUCTION:**

All components including base and finial to be of high-strength ASTM 356.1 cast aluminum. Luminaire shall be fully welded creating one integral housing. Injection-molded refractive globe. Cast aluminum hood shall be hinged to allow for easy relamping and fixture maintenance.

**DIMENSIONS:** (h x Ø)  
(22" x 14")


**WEIGHT:** (approximate)  
25 pounds

**OPTICAL:**  
Injection-molded refractive polycarbonate or acrylic globe. Light distribution available in symmetrical and asymmetrical patterns.

**ELECTRICAL:**  
Meets U.L. 1598 standard for safety. Luminaire shall have a porcelain socket which is rated for 600V with 4KV pulse and uses a nickel-plated screw shell with spring-loaded center contact.

**FINISH:**  
All aluminum components shall be painted with a three step paint process. An acid etching industrial wash primer, two part epoxy base primer with the finish coat to be a two part aliphatic acrylic polyurethane. Color to be specified.

**MOUNTING:**  
Mounts to a 3" diameter by 2 1/2" tall tenon. (3) 3/8"-16 UNC stainless steel allen head cup point set screws secure luminaire to post top tenon. All mounting hardware shall be stainless steel.



Catalog #: SLH-INC1-III-AC-F-BLK  
Color: BLACK

**LAMP**

- ADVISE
- INC
- INC1 Philips 40ED28/LED/\*\*\*/ND

**Lamp Socket**

- (blank) Mogul
- MED Medium

**OPTIONS:**

- Light Distribution:
- Type V
  - Type III (Standard)
- Finial (Standard)
- Twistlock Photocell receptacle
- Globe Material:
- Polycarbonate (Standard)
  - AC Acrylic

UNAUTHORIZED USE, MANUFACTURE OR REPRODUCTION IN WHOLE OR IN PART IS PROHIBITED. DRAWING, DESIGN AND OTHER DISCLOSURES ARE THE PROPERTY OF

SENTRY ELECTRIC LLC  
FREEPORT, N.Y. 11520

**Sentry** Sentry Electric LLC **Sentry**  
185 Buffalo Avenue, Freeport, New York 11520

Tel 516-379-4660  
www.sentrylighting.com

Fax 516-378-0624  
E-mail: info@sentrylighting.com

DATE 02-14-2017

DRAWN L.A.

SCALE 1=6

DWG NO.

REV

ENGINEER S.K.

SHEET 1 OF 1

S1240-C101.1