

		REVISIONS		
ZONE	REV	DESCRIPTION	DATE	APPROVED
	Α	INITIAL RELEASE	7/9/02	DG
	В	ADDED FLAGNOTE 6	3/14/03	

WAY OVERRIDE WHAT IS SPECIFIED BY YOUR LOCAL OR STATE TRAFFIC ENGINEER. \_6" MAX. TYP ∕6\ CONTACT YOUR LOCAL OR STATE TRAFFIC ENGINEER FOR SPECIFIC SITE FIXED OBJECT RECOMMENDATIONS FOR EACH SITUATION. (SEE ABOVE FOR PROPER POSITIONING) 400 1400 2100 1400 700 400 200 200 200 200 400 200 2100 1400 1400 700 400 400 200 -6" MIN. TYP 6" MIN. TYP

6 FOR FIXED OBJECT WIDTHS GREATER THAN 18" INCREASE SPACING OF DOUBLE WIDE BARRELS UP TO 12" APART.

- 5. PLACE THE TYPE P MARKER PANEL SO THAT THE BOTTOM OF THE PANEL IS AT THE BOTTOM OF THE MODULE.
- 4. MASS OF SAND AND OUTLINE OF EACH MODULE SHALL BE PAINTED ON THE SURFACE OF EACH MODULE LOCATION.
- 3. BIDIRECTIONAL CRASH CUSHION ARRAYS MAY BE ANGLED TOWARD APPROACHING TRAFFIC. AMOUNT OF ANGLE NOT TO EXCEED 10°.
- 2. EACH MODULE IS TO CONTAIN AMOUNT OF SAND INDICATED. ALL SAND MASSES ARE NOMINAL.
- 1. (XXX) INDICATES MODULE LOCATION AND MASS OF SAND IN POUNDS (LBS) FOR EACH MODULE. MODULE SPACING IS BASED ON THE GREATER DIAMETER OF THE MODULE.

NOTES: UNLESS OTHERWISE SPECIFIED.

UNLESS OTHERWISE SPE ALL DIMENSIONS ARE IN	TrafFix  Devices Inc.  220 Calle Pintoresco San Clemente, CA 9 (949) 361-5663 FAX (949) 361-9205 www.traffixdevices.c				, CA 92672 3 1-9205	2				
	Ta vee		5.5 A	BARF 1PH	REL (1	AR 04	RAY	, <ph< th=""><th>′)</th><th></th></ph<>	′)	
DRAWN BY:  J. HARDMAN  CHECKED BY:	DATE: 7/8/02 DATE:	SIZE		V 1 1 1 1	DWG NO.	B.	<u> </u>	- )	/	REV B
APPROVED BY: D. GFRT7	DATE: 7/8/02	SCALE	NONE				SHEET	1 0	F 1	

THIS DRAWING IS AN EXAMPLE OF A TYPICAL ARRAY PLAN AND SHOULD IN NO