








	<p>Design velocity 70 mph 19 barrels/array</p>																																																				
	<p>Design velocity 65 mph 17 barrels/array</p>																																																				
	<p>Design velocity 60 mph 14 barrels/array</p>																																																				
	<p>Design velocity 55 mph 12 barrels/array</p>																																																				
<div data-bbox="170 886 657 1360" style="background-color: yellow; padding: 10px;"> <p style="text-align: center;">Recommended Array Configurations</p> <p>PSS recommends the above arrays for the designated speeds, as noted. When combining CrashGuard along with sand barrels from other manufacturers, (commonly referred to as mixed arrays) PSS recommends the installer follow the manufacturers' recommendation, design or plan that utilizes the highest number of barrels. See page 11 for further instructions.</p> </div>																																																					
	<p>Design velocity 45 mph 9 barrels/array</p>																																																				
	<p>Design velocity 40 mph 8 barrels/array</p>																																																				
<table border="1" style="width: 100%; text-align: center;"> <thead> <tr> <th colspan="4">Conversion Chart</th> </tr> <tr> <th colspan="2">Speed</th> <th colspan="2">Weight</th> </tr> <tr> <th>MPH</th> <th>Kilometers</th> <th>Lbs.</th> <th>Kilograms</th> </tr> </thead> <tbody> <tr> <td>25</td> <td>40.2</td> <td>200</td> <td>90.7</td> </tr> <tr> <td>30</td> <td>48.3</td> <td>400</td> <td>181.4</td> </tr> <tr> <td>35</td> <td>56.3</td> <td>700</td> <td>317.5</td> </tr> <tr> <td>40</td> <td>64.4</td> <td>1,400</td> <td>635.0</td> </tr> <tr> <td>45</td> <td>72.4</td> <td>2,100</td> <td>952.5</td> </tr> <tr> <td>50</td> <td>80.5</td> <td></td> <td></td> </tr> <tr> <td>55</td> <td>88.5</td> <td></td> <td></td> </tr> <tr> <td>60</td> <td>96.6</td> <td></td> <td></td> </tr> <tr> <td>65</td> <td>104.6</td> <td></td> <td></td> </tr> <tr> <td>70</td> <td>112.6</td> <td></td> <td></td> </tr> </tbody> </table>	Conversion Chart				Speed		Weight		MPH	Kilometers	Lbs.	Kilograms	25	40.2	200	90.7	30	48.3	400	181.4	35	56.3	700	317.5	40	64.4	1,400	635.0	45	72.4	2,100	952.5	50	80.5			55	88.5			60	96.6			65	104.6			70	112.6			
Conversion Chart																																																					
Speed		Weight																																																			
MPH	Kilometers	Lbs.	Kilograms																																																		
25	40.2	200	90.7																																																		
30	48.3	400	181.4																																																		
35	56.3	700	317.5																																																		
40	64.4	1,400	635.0																																																		
45	72.4	2,100	952.5																																																		
50	80.5																																																				
55	88.5																																																				
60	96.6																																																				
65	104.6																																																				
70	112.6																																																				
	<p>Design velocity 30 mph 7 barrels/array</p>																																																				
	<p>Design velocity 25 mph 6 barrels/array</p>																																																				