



P R E F O R M E D T H E R M O P L A S T I C P A V E M E N T M A R K I N G S

HotTapeTM

PRICE LIST

Effective February 15, 2014

Subject to change without notice.

Ennis-Flint

Phone: (336) 475-6600

Fax: (336) 475-7900

sales@ennisflint.com

www.ennisflint.com

PRICE LIST

Prices valid from February 15, 2014



Please call us at (336) 475-6600 for more information about items not listed in this price catalog. Custom designs are also available in preformed thermoplastic. First-time applicators should contact Ennis-Flint for product support and free on-site training.

www.ennisflint.com

HotTape™ is a "Preheat" type of material: Preheating of the road surface to a certain temperature is required

(Based on Section 9.3.7 of The Institute of Transportation Engineers (ITE) Traffic Control Devices Handbook)

* Skid Optics can be added without any extra cost; please state preference at time of order

HotTape™ Lines 90 MIL									
DESCRIPTION	Thickness	Size Imperial	Size Meters	Item Number	Unit Price/Ft.	Linear Ft. / Qty. Per Pack	Price Per Pack	Sq. Ft. Per Pack	Weight Per Pack
Lines White	90 mil	4" x 2'	.10 x .61	HT400003	\$ 1.70	96 ft / 29.26m	\$ 163.20	32 sq ft	33 lbs
Lines White	90 mil	4" x 3'	.10 x .91	HT400004	\$ 1.70	144 ft / 43.89m	\$ 244.80	48 sq ft	49 lbs
Lines Yellow	90 mil	4" x 3'	.10 x .91	HT400005	\$ 1.79	144 ft / 43.89m	\$ 257.80	48 sq ft	49 lbs
Lines Blue	90 mil	4" x 3'	.10 x .91	HT400006	\$ 1.79	144 ft / 43.89m	\$ 257.80	48 sq ft	49 lbs
Lines Red	90 mil	4" x 3'	.10 x .91	HT400007	\$ 1.87	144 ft / 43.89m	\$ 269.30	48 sq ft	49 lbs
Lines White	90 mil	5" x 3'	.12 x .91	HT894674	\$ 2.29	96 ft / 29.26m	\$ 219.80	40 sq ft	41 lbs
Lines Yellow	90 mil	5" x 3'	.12 x .91	HT894676	\$ 2.37	96 ft / 29.26m	\$ 227.50	40 sq ft	41 lbs
Lines White	90 mil	6" x 3'	.15 x .91	HT894686	\$ 2.58	96 ft / 29.26m	\$ 247.70	48 sq ft	49 lbs
Lines Yellow	90 mil	6" x 3'	.15 x .91	HT894688	\$ 2.67	96 ft / 29.26m	\$ 256.30	48 sq ft	49 lbs
Lines White	90 mil	8" x 3'	.20 x .91	HT894692	\$ 3.43	72 ft / 21.95m	\$ 247.00	48 sq ft	49 lbs
Lines Yellow	90 mil	8" x 3'	.20 x .91	HT894694	\$ 3.55	72 ft / 21.95m	\$ 255.60	48 sq ft	49 lbs
Lines White	90 mil	12" x 3'	.30 x .91	HT894700	\$ 5.13	48 ft / 14.63m	\$ 246.20	48 sq ft	49 lbs
Lines Yellow	90 mil	12" x 3'	.30 x .91	HT894702	\$ 5.34	48 ft / 14.63m	\$ 256.30	48 sq ft	49 lbs
Lines White	90 mil	16" x 3'	.40 x .91	HT894706	\$ 6.84	24 ft / 7.32m	\$ 164.20	32 sq ft	33 lbs
Lines Yellow	90 mil	16" x 3'	.40 x .91	HT894708	\$ 7.11	24 ft / 7.32m	\$ 170.64	32 sq ft	33 lbs
Lines White	90 mil	18" x 3'	.45 x .91	HT894712	\$ 7.71	24 ft / 7.32m	\$ 185.00	36 sq ft	37 lbs
Lines Yellow	90 mil	18" x 3'	.45 x .91	HT894714	\$ 8.00	24 ft / 7.32m	\$ 192.00	36 sq ft	37 lbs
Lines White	90 mil	24" x 3'	.61 x .91	HT894728	\$10.25	24 ft / 7.32m	\$ 246.00	48 sq ft	49 lbs
Lines Yellow	90 mil	24" x 3'	.61 x .91	HT894730	\$10.67	24 ft / 7.32m	\$ 256.10	48 sq ft	49 lbs

HotTape™ Rolls 90 MIL									
DESCRIPTION	Thickness	Size Imperial	Size Meters	Item Number	Unit Price/Ft.	Linear Ft. / Qty. Per Pack	Price Per Pack	Sq. Ft. Per Pack	Weight Per Pack
Rolls White	90 mil	4" x 30'	.10 x 9.14	HT895016	\$ 1.86	90 ft / 27.43m	\$ 167.40	30 sq ft	31 lbs
Rolls Yellow	90 mil	4" x 30'	.10 x 9.14	HT895018	\$ 1.96	90 ft / 27.43m	\$ 176.40	30 sq ft	31 lbs
Rolls Blue	90 mil	4" x 30'	.10 x 9.14	HT895012	\$ 1.96	90 ft / 27.43m	\$ 176.40	30 sq ft	31 lbs
Rolls Red	90 mil	4" x 30'	.10 x 9.14	HT895017	\$ 2.04	90 ft / 27.43m	\$ 183.60	30 sq ft	31 lbs
Rolls White	90 mil	5" x 30'	.12 x 9.14	HT895022	\$ 2.56	90 ft / 27.43m	\$ 230.40	37.5 sq ft	39 lbs
Rolls Yellow	90 mil	5" x 30'	.12 x 9.14	HT895024	\$ 2.65	90 ft / 27.43m	\$ 238.50	37.5 sq ft	39 lbs
Rolls White	90 mil	6" x 30'	.15 x 9.14	HT895032	\$ 2.82	90 ft / 27.43m	\$ 253.80	45 sq ft	46 lbs
Rolls Yellow	90 mil	6" x 30'	.15 x 9.14	HT895034	\$ 2.93	90 ft / 27.43m	\$ 263.70	45 sq ft	46 lbs
Rolls White	90 mil	8" x 30'	.20 x 9.14	HT895040	\$ 3.74	90 ft / 27.43m	\$ 336.60	60 sq ft	61 lbs
Rolls Yellow	90 mil	8" x 30'	.20 x 9.14	HT895042	\$ 3.89	90 ft / 27.43m	\$ 350.10	60 sq ft	61 lbs
Rolls White	90 mil	12" x 30'	.30 x 9.14	HT895052	\$ 5.63	60ft / 18.28m	\$ 337.80	60 sq ft	61 lbs
Rolls Yellow	90 mil	12" x 30'	.30 x 9.14	HT895054	\$ 5.86	60ft / 18.28m	\$ 351.60	60 sq ft	61 lbs
Rolls White	90 mil	16" x 30'	.40 x 9.14	HT895058	\$ 7.49	30ft / 9.14m	\$ 224.70	40 sq ft	41 lbs
Rolls Yellow	90 mil	16" x 30'	.40 x 9.14	HT895060	\$ 7.94	30ft / 9.14m	\$ 238.20	40 sq ft	41 lbs
Rolls White	90 mil	18" x 30'	.45 x 9.14	HT895066	\$ 8.42	30ft / 9.14m	\$ 252.60	45 sq ft	46 lbs
Rolls Yellow	90 mil	18" x 30'	.45 x 9.14	HT895068	\$ 8.78	30ft / 9.14m	\$ 263.40	45 sq ft	46 lbs
Rolls White	90 mil	24" x 30'	.60 x 9.14	HT895078	\$11.24	30ft / 9.14m	\$ 337.20	60 sq ft	61 lbs
Rolls Yellow	90 mil	24" x 30'	.60 x 9.14	HT895080	\$11.66	30ft / 9.14m	\$ 349.80	60 sq ft	61 lbs

HotTape™ Lines 125 MIL

DESCRIPTION	Thickness	Size Imperial	Size Meters	Item Number	Unit Price/Ft.	Linear Ft. / Qty. Per Pack	Price Per Pack	Sq. Ft. Per Pack	Weight Per Pack
Lines White	125 mil	4" x 2'	.10 x .61	HT894015	\$ 1.85	90 ft / 27.43m	\$ 166.50	30 sq ft	38 lbs
Lines White	125 mil	4" x 3'	.10 x .91	HT400008	\$ 1.85	90 ft / 27.43m	\$ 166.50	30 sq ft	40 lbs
Lines Yellow	125 mil	4" x 3'	.10 x .91	HT400009	\$ 1.94	90 ft / 27.43m	\$ 174.60	30 sq ft	40 lbs
Lines Blue	125 mil	4" x 3'	.10 x .91	HT400010	\$ 1.94	90 ft / 27.43m	\$ 174.60	30 sq ft	40 lbs
Lines Red	125 mil	4" x 3'	.10 x .91	HT400011	\$ 2.05	90 ft / 27.43m	\$ 184.50	30 sq ft	40 lbs
Lines White	125 mil	5" x 3'	.12 x .91	HT894019	\$ 2.46	60 ft / 18.28m	\$ 147.60	25 sq ft	30 lbs
Lines Yellow	125 mil	5" x 3'	.12 x .91	HT894018	\$ 2.57	60 ft / 18.28m	\$ 154.20	25 sq ft	36 lbs
Lines White	125 mil	6" x 3'	.15 x .91	HT894022	\$ 2.81	60 ft / 18.28m	\$ 168.60	30 sq ft	40 lbs
Lines Yellow	125 mil	6" x 3'	.15 x .91	HT894024	\$ 2.94	60 ft / 18.28m	\$ 176.40	30 sq ft	40 lbs
Lines White	125 mil	8" x 3'	.20 x .91	HT894026	\$ 3.70	45 ft / 13.72m	\$ 166.50	30 sq ft	40 lbs
Lines Yellow	125 mil	8" x 3'	.20 x .91	HT894028	\$ 3.85	45 ft / 13.72m	\$ 173.30	30 sq ft	40 lbs
Lines White	125 mil	12" x 3'	.30 x .91	HT894030	\$ 5.61	30 ft / 9.14m	\$ 168.30	30 sq ft	40 lbs
Lines Yellow	125 mil	12" x 3'	.30 x .91	HT894032	\$ 5.87	30 ft / 9.14m	\$ 176.10	30 sq ft	40 lbs
Lines White	125 mil	16" x 3'	.40 x .91	HT894034	\$ 7.47	15 ft / 4.57m	\$ 113.00	20 sq ft	29 lbs
Lines Yellow	125 mil	16" x 3'	.40 x .91	HT894036	\$ 7.75	15 ft / 4.57m	\$ 116.30	20 sq ft	29 lbs
Lines White	125 mil	18" x 3'	.45 x .91	HT894038	\$ 8.40	15 ft / 4.57m	\$ 126.00	22.5 sq ft	33 lbs
Lines Yellow	125 mil	18" x 3'	.45 x .91	HT894040	\$ 8.72	15 ft / 4.57m	\$ 130.80	22.5 sq ft	33 lbs
Lines White	125 mil	24" x 3'	.61 x .91	HT894044	\$11.21	15 ft / 4.57m	\$ 168.20	30 sq ft	40 lbs
Lines Yellow	125 mil	24" x 3'	.61 x .91	HT894046	\$11.74	15 ft / 4.57m	\$ 176.10	30 sq ft	40 lbs


*** Skid Optics can be added without any extra cost; please state preference at time of order**

Skid Optics material provides increased skid resistance while maintaining nighttime visibility. Skid Optics can be added to any of the HotTape™ lines, legends, arrows, and other designs in 90-mil and 125-mil thicknesses. Ennis-Flint recommends using HotTape™ with Skid Optics in areas with pedestrian and cyclist traffic such as crosswalks, bike paths as well as parking facilities using HotTape™ for lines, legends, arrows, accessibility symbols, and word legends.

HotTape™ HotSpots Raised Marker Adhesive

DESCRIPTION	Thickness	Size Imperial	Size Meters	Item Number	Qty. Per Pack	Price Per Pack	Weight Per Pack
Black HotSpot	125 mil	5" x 5"	.12 x .12	HT894047	150	\$ 145.40	38 lbs
Yellow HotSpot	125 mil	5" x 5"	.12 x .12	HT894049	150	\$ 145.40	38 lbs
White HotSpot	125 mil	5" x 5"	.12 x .12	HT894051	150	\$ 145.40	38 lbs
Blue HotSpot	125 mil	5" x 5"	.12 x .12	HT894053	150	\$ 145.40	38 lbs
Black HotSpot	125 mil	8' x 8"	.20 x .20	HT894057	80	\$ 209.70	40 lbs

HotSpots are squares of HotTape™ ideal for adhering raised pavement markers. Application is the same as other HotTape™ markings; no sealers required. Apply marker to melted HotSpot square.



HotTape™ is a "Preheat" type of material:


Preheating of the road surface to a certain temperature is required (Based on Section 9.3.7 of The Institute of Transportation Engineers (ITE) Traffic Control Devices Handbook)

See page 7 for information on application and pricing for the Magnum Heat Torch for proper application of HotTape.

HotTape™ Arrows and Symbols

HotTape™ Arrows and Symbols				90 MIL				125 MIL			
Fig	Description	Size Imperial (l x w)	Size Meters	Item Number	Qty Per Pack	Price Per Pack	Weight Per Pack	Item Number	Qty Per Pack	Price Per Pack	Weight Per Pack
A	Turn Arrow Standard Rev*	8' x 6'1"	2.44 x 1.85	HT894732	2	\$332.00	38 lbs	HT894048	2	\$351.10	53 lbs
A	Turn Arrow Standard Left	8' x 6'1"	2.44 x 1.85	HT894742	2	\$332.00	38 lbs	HT894058	2	\$351.10	53 lbs
A	Turn Arrow Standard Right	8' x 6'1"	2.44 x 1.85	HT894746	2	\$332.00	38 lbs	HT894062	2	\$351.10	53 lbs
A	Turn Arrow Rev*	4' x 3'	1.22 x .91	HT895120	5	\$388.00	24 lbs	HT894170	5	\$407.40	33 lbs
A	Turn Arrow Left	4' x 3'	1.22 x .91	HT895122	5	\$388.00	24 lbs	HT894172	5	\$407.40	33 lbs
A	Turn Arrow Right	4' x 3'	1.22 x .91	HT895124	5	\$388.00	24 lbs	HT894174	5	\$407.40	33 lbs
B	Straight Arrow Standard	9'6" x 3'3"	2.90 x .99	HT894898	2	\$292.30	28 lbs	HT894164	2	\$302.50	39 lbs
B	Straight Arrow	6' x 2'	1.83 x .61	HT895284	5	\$314.30	25 lbs	HT894178	5	\$332.00	35 lbs
C	Combi Arrow Standard Rev*	12'9" x 7'2"	3.88 x 2.18	HT894750	1	\$302.30	32 lbs	HT894066	1	\$317.30	44.5 lbs
C	Combi Arrow Standard Left	12'9" x 7'2"	3.88 x 2.18	HT894748	1	\$302.30	32 lbs	HT894064	1	\$317.30	44.5 lbs
C	Combi Arrow Standard Right	12'9" x 7'2"	3.88 x 2.18	HT894752	1	\$302.30	32 lbs	HT894068	1	\$317.30	44.5 lbs
C	6' Combi Arrow Rev*	6' x 3'10"	1.82 x 1.17	HT895280	2	\$251.30	21 lbs	HT894176	2	\$262.60	29 lbs
D	13' Double Combi Arrow	13'2" x 11'2"	4.01 x 3.40	HT894755	1	\$469.80	46 lbs	HT894072	1	\$483.80	64 lbs
E	Turn Arrow Elongated Rev*	12' x 3'	3.66 x .91	HT894771	2	\$332.00	30 lbs	HT894083	2	\$351.30	42 lbs
E	Turn Arrow Elongated Left	12' x 3'	3.66 x .91	HT894740	2	\$332.00	30 lbs	HT894056	2	\$351.30	42 lbs
E	Turn Arrow Elongated Right	12' x 3'	3.66 x .91	HT894744	2	\$332.00	30 lbs	HT894060	2	\$351.30	42 lbs
F	Straight Arrow Elongated	12' x 1'8"	3.66 x .51	HT894896	2	\$292.30	22 lbs	HT894162	2	\$302.50	31 lbs
G	Combi Arrow Elongated Rev*	20' x 3'7"	6 x 1.09	HT894776	1	\$302.30	27 lbs	HT894088	1	\$309.20	37.5 lbs
G	Combi Arrow Elongated Left	20' x 3'7"	6 x 1.09	HT894772	1	\$302.30	27 lbs	HT894084	1	\$309.20	37.5 lbs
G	Combi Arrow Elongated Right	20' x 3'7"	6 x 1.09	HT894774	1	\$302.30	27 lbs	HT894086	1	\$309.20	37.5 lbs
H	Lane Drop Arrow Rev*	18' x 5'6"	5.49 x 1.68	HT894766	1	\$434.20	51 lbs	HT894082	1	\$452.60	68 lbs
H	Lane Drop Arrow Left	18' x 5'6"	5.49 x 1.68	HT894762	1	\$434.20	51 lbs	HT894078	1	\$452.60	68 lbs
H	Lane Drop Arrow Right	18' x 5'6"	5.49 x 1.68	HT894764	1	\$434.20	51 lbs	HT894080	1	\$452.60	68 lbs
I	U-Turn Arrow Left	10' x 7'6"	3.05 x 2.29	HT894754	1	\$302.30	29 lbs	HT894070	1	\$317.30	40 lbs
J	HOV Diamond Des. Lane	13'1" x 3'3"	3.99 x .99	HT894756	5	\$388.00	68 lbs	HT894074	5	\$407.40	72 lbs
K	Shark's Teeth Yield Markings	12" x 18"	.3 x .45	HT896288	10	\$110.80	9 lbs	HT896289	10	\$116.40	12 lbs
K	Shark's Teeth Yield Markings	16" x 24"	.41 x .61	HT896288x	10	\$184.50	17.5 lbs	HT896289x	10	\$193.00	24 lbs
K	Shark's Teeth Yield Markings	24" x 36"	.61 x .91	HT896290	6	\$126.80	15 lbs	HT896291	6	\$131.10	18 lbs

* Reversible items do not have surface glass beads.



Example illustrations not drawn to scale

HotTape™ Word Legends

			90 MIL				125 MIL			
DESCRIPTION	Size Imperial* Letter Height	Size Meters Letter Height	Item Number	Qty Per Pack	Price Per Pack	Weight Per Pack	Item Number	Qty Per Pack	Price Per Pack	Weight Per Pack
AHEAD	8 ft.	2.44	HT894794	1	\$300.80	30 lbs	HT894104	1	\$348.40	41 lbs
BUMP	8 ft.	2.44	HT894800	1	\$244.90	27 lbs	HT894108	1	\$258.30	37 lbs
BUS	8 ft.	2.44	HT894802	1	\$194.60	20 lbs	HT894110	1	\$205.90	28 lbs
CLEAR	8 ft.	2.44	HT894806	1	\$275.40	28 lbs	HT894112	1	\$289.60	38 lbs
EXIT	8 ft.	2.44	HT894810	1	\$230.00	18 lbs	HT894114	1	\$240.60	25 lbs
FIRE	8 ft.	2.44	HT894814	1	\$230.00	21 lbs	HT894116	1	\$240.60	29 lbs
KEEP	8 ft.	2.44	HT894822	1	\$249.40	24 lbs	HT894120	1	\$262.70	33 lbs
LANE	8 ft.	2.44	HT894826	1	\$239.00	22 lbs	HT894122	1	\$254.60	30 lbs
LEFT	8 ft.	2.44	HT894830	1	\$239.00	19 lbs	HT894124	1	\$246.00	27 lbs
MERGE	8 ft.	2.44	HT894834	1	\$340.90	32 lbs	HT894126	1	\$357.10	45 lbs
MPH	8 ft.	2.44	HT894838	1	\$194.70	19 lbs	HT894128	1	\$206.40	27 lbs
ONLY	8 ft.	2.44	HT894844	1	\$246.90	21 lbs	HT894132	1	\$251.20	29 lbs
ONLY (YELLOW)	8 ft.	2.44	HT894844Y	1	\$246.90	21 lbs	HT894132Y	1	\$261.00	29 lbs
ONLY	10 ft.	3.05	HT894845	1	\$284.80	33 lbs	HT894133	1	\$302.50	46 lbs
ONLY (YELLOW)	10 ft.	3.05	HT894845Y	1	\$295.70	33 lbs	HT894133Y	1	\$314.20	46 lbs
PED	8 ft.	2.44	HT894848	1	\$194.60	19 lbs	HT894134	1	\$206.50	26 lbs
RIGHT	8 ft.	2.44	HT894852	1	\$259.60	26 lbs	HT894136	1	\$271.40	36 lbs
R	6 ft.	1.82	HT894856	4	\$270.20	16 lbs	HT894138	4	\$285.00	22 lbs
METRIC R	6.5 ft.	2.00	HT894892	4	\$276.20	18 lbs	HT894158	4	\$285.00	25 lbs
RXR FHWA KIT	see note below		HTK894858	1	\$450.00	65 lbs	HTK894140	1	\$472.30	90 lbs
RXR METRIC KIT	see note below		HTK894891	1	\$450.00	65 lbs	HTK894160	1	\$472.30	90 lbs
SCHOOL	8 ft.	2.44	HT894900	1	\$370.30	34 lbs	HT894166	1	\$388.00	47 lbs
SCHOOL (YELLOW)	8 ft.	2.44	HT894900Y	1	\$384.50	34 lbs	HT894166Y	1	\$403.00	47 lbs
SCHOOL	10 ft.	3.05	HT894904	1	\$484.10	62 lbs	HT894168	1	\$501.80	70 lbs
SCHOOL (YELLOW)	10 ft.	3.05	HT894904Y	1	\$502.30	62 lbs	HT894168Y	1	\$520.50	70 lbs
SIGNAL	8 ft.	2.44	HT894860	1	\$330.70	24 lbs	HT894142	1	\$346.70	33 lbs
SLOW	8 ft.	2.44	HT894864	1	\$237.50	24 lbs	HT894144	1	\$251.20	33 lbs
SLOW (YELLOW)	8 ft.	2.44	HT894864Y	1	\$246.70	24 lbs	HT894144Y	1	\$260.80	33 lbs
STOP	8 ft.	2.44	HT894868	1	\$237.50	23 lbs	HT894146	1	\$251.20	32 lbs
THRU	8 ft.	2.44	HT894872	1	\$244.90	23 lbs	HT894148	1	\$256.80	32 lbs
TURN	8 ft.	2.44	HT894876	1	\$244.90	23 lbs	HT894150	1	\$256.80	32 lbs
X-ING	8 ft.	2.44	HT894884	1	\$240.60	20 lbs	HT894154	1	\$253.80	28 lbs
X-ING (YELLOW)	8 ft.	2.44	HT894884Y	1	\$249.70	20 lbs	HT400012	1	\$275.70	28 lbs
YIELD	8 ft.	2.44	HT894888	1	\$259.60	23 lbs	HT894156	1	\$271.40	32 lbs

Note: RxR contains 2 R's and 42' of 3' x 16" flat segments for the X. *The above dimensions are nominal sizes; package insert includes actual dimensions and letter spacing.

AHEAD

ONLY

SCHOOL

STOP





HotTape™ Bike Lane Symbols

90 MIL

Fig	DESCRIPTION	Size Imperial (l x w)	Size Meters (l x w)	Item Number	Qty Per Pack	Price Per Pack	Weight Per Pack	Remarks
A	Bicycle Designated Lane	4' x 2'	1.22 x .61	HT894734 (+)	5	\$508.80	16 lbs	
B	Bicycle Designated Lane	8' x 4'	2.44 x 1.22	HT894736 (+)	2	\$350.80	25 lbs	
C	Bicycle Designated Trail	4' x 3'3"	1.22 x .99	HT894738 (+)	5	\$519.90	25 lbs	
D	Bicycle Designated Lane	6' x 3'	.91 x 1.82	HT894735 (+)	5	\$739.90	30 lbs	FHWA Standard 2004 SHS Book
E	Shared Lane Symbol	9'4" x 3'4"	2.82 x .99	HT400146 (+)	2	\$392.20	35 lbs	FHWA Standard 2009 MUTCD
F	Bicycle Symbol	6' x 3'4"	1.8 x 1	HT400182	5	\$805.10	35 lbs	FHWA Standard 2009 MUTCD
G	Helmeted Bicyclist	6' x 3'4"	1.8 x 1	HT400181	5	\$739.90	35 lbs	FHWA Standard 2009 MUTCD
H	Bike Lane Straight Arrow	6' x 2'	1.8 x .61	HT400180	2	\$126.60	24 lbs	FHWA Standard 2009 MUTCD
	BIKE	4' x 2'6"	1.22 x .76	HT895116	4	\$639.30	25 lbs	
	LANE	4' x 3'1"	1.22 x .94	HT895118	4	\$639.30	25 lbs	
	ONLY	4' x 2'10"	1.22 x .86	HT895117	4	\$653.00	25 lbs	

(+) add "L" for Left or "R" for Right to indicate facing direction of bicycle marking



BIKE
LANE
ONLY

As shown in 2009 MUTCD

HotTape™ INDIVIDUAL LETTERS/NUMBERS

90 MIL

125 MIL

Fig	DESCRIPTION	Size Imperial	Size Meters	Item Number	Qty Per Pack	Price Per Pack	Item Number	Qty Per Pack	Price Per Pack
A	LETTERS A THRU Z	4 in.	10.16 cm	HT8954 -"L"	1	\$ 7.40	HT8944 -"L"	1	\$ 7.80
A	LETTERS A THRU Z	6 in.	15.24 cm	HT8956 -"L"	1	\$ 9.30	HT8946 -"L"	1	\$ 9.80
A	LETTERS A THRU Z	12 in.	30.48 cm	HT89512 -"L"	1	\$13.30	HT89412 -"L"	1	\$14.00
B	LETTERS A THRU Z	4 ft.	1.22	HT89548 -"L"	1	\$52.90	HT89448 -"L"	1	\$56.50
B	LETTERS A THRU Z	8 ft.	2.44	HT89596 -"L"	1	\$67.50	HT89496 -"L"	1	\$71.20
A	NUMBERS 0 THRU 9	4 in.	10.16 cm	HT8954 -"#"	1	\$ 7.40	HT8944 -"#"	1	\$ 7.80
A	NUMBERS 0 THRU 9	6 in.	15.24 cm	HT8956 -"#"	1	\$ 9.30	HT8946 -"#"	1	\$ 9.80
A	NUMBERS 0 THRU 9	12 in.	30.48 cm	HT89512 -"#"	1	\$13.30	HT89412 -"#"	1	\$14.00
B	NUMBERS 0 THRU 9	4 ft.	1.22	HT89548 -"#"	1	\$52.90	HT89448 -"#"	1	\$56.50
B	NUMBERS 0 THRU 9	8 ft.	2.44	HT89596 -"#"	1	\$67.50	HT89496 -"#"	1	\$71.20

Fig. A - FHWA SERIES B



Fig. B - FHWA/Complies with MUTCD



Example illustrations not drawn to scale

Application Equipment / Accessories		
DESCRIPTION	Item Number	List Price
Magnum Heat Torch	HT897130	\$ 586.50
Magnum Tank Trolley (cylinder not included)	530108	\$ 173.00
Infrared Thermometer	HMT5	\$ 140.80
Spare Parts for Magnum Heat Torch:		
Magnum Regulator	HT187923	\$ 85.70
Magnum Torch Tip	HT187924	\$ 17.30
Magnum Torch Piezo Lighter	HT198925	\$ 61.20
Magnum Torch 1/4" Male/Female Adapter	HT187928	\$ 7.20
Magnum Torch Hose	HT187929	\$ 87.70
LPG Tank - 20 lbs.	HT530105	\$ 53.50
LPG Tank - 40 lbs.	HT530107	\$ 101.00



**No. 897130
HotTape™ Magnum Torch
(Includes 30' hose)**

First-time applicators should contact Ennis-Flint at (336) 475-6600 for product support and free on-site training.

SIMPLE INSTALLATION

Installing HotTape™ is fast, safe and cost-effective with an industrial propane heat torch such as the Magnum Heat Torch. Preheating the pavement to a certain temperature is required prior to application.

HIGH SKID RESISTANT FOR SAFETY

Specially made for crosswalks, bike paths, and other pedestrian uses, Skid Optics is a unique feature of HotTape™ that ensures skid resistance is maximized.

VISIBILITY

HotTape™ is pre-beaded and incorporates intermixed glass beads which provide both high initial and excellent long term retroreflectivity. HotTape™ is formulated with the highest quality color pigments resulting in vibrant colors offering superior daytime visibility.

ENHANCED DURABILITY

HotTape™ is extremely durable and provides excellent long term performance in critical ADT areas requiring transverse markings.

IMPERVIOUS TO OIL AND GAS


HotTape™ is oil and gas impervious, yet compatible with all asphalt surfaces. HotTape™ can be applied on fresh asphalt as soon as the road surface sets.

WORKER AND ENVIRONMENTAL SAFETY

With no lead chromate, heavy metal compounds or VOCs, HotTape™ is non-hazardous based on current EPA and OSHA standards either during application or removal.

MANUFACTURING CONTROL

All HotTape™ preformed thermoplastic materials are made at Flint's manufacturing facility which is ISO 9001:2008 certified for design, development and manufacturing.



Clean the surface to remove any debris. Preheat the pavement surface to a minimum of 300° F.



Unroll or lay out the flat sheets of material as desired for particular marking.



Heat HotTape™ with a propane heat torch such as the Magnum Heat Torch.



Chisel test to ensure proper bond.

Flint Trading, Inc. (dba Ennis-Flint)

Terms and Conditions of Sale

These Terms and Conditions of Sale set forth the terms and conditions upon which Flint Trading, Inc. dba Ennis-Flint ("Seller") will sell certain products to the buyer ("Buyer"). Any attempted modification of these Terms and Conditions by Buyer, and any additional or different terms included in any document provided by Buyer are hereby rejected unless conspicuously and expressly agreed to in writing by Seller.

Price:

Prices are subject to change without notice. Prices charged will be those in effect at the time of the acceptance of the order.

Acceptance:

All orders are subject to acceptance by an officer of Ennis-Flint.

Taxes:

The price of the products specified herein excludes any federal, state or local taxes. The Buyer is responsible for any federal, state, or local taxes that apply. The Buyer agrees to reimburse the Seller for any taxes he might ultimately be obligated to pay as a result of this sale which normally would have been collected at the time of sale.

Payment:

Seller's prices are calculated on a cash-with-order basis. Therefore, all orders are COD unless credit is already established by an acknowledged credit application. Terms on established credit accounts are net on presentation. Balances unpaid after 30 days from date of invoice are subject to a service charge of 1.5% per month or maximum allowed by law, if different, together with expenses incidental to collection, including specifically set forth reasonable attorney's fee of 20% of the unpaid balance.

Product Changes:

Ennis-Flint is constantly working to improve products. Therefore, in order to incorporate new technological advances, we reserve the right to alter chemical nature, specification, design or weight. Ennis-Flint shall not be required to modify goods already sold or in service.

Freight Policy:

All product is shipped FOB our warehouse in Thomasville, NC unless otherwise stipulated. The risk of loss of such products shall pass to Buyer upon delivery to the shipper. Unless Seller accepts specific instructions given by Buyer relating to shipment, arrangements shall be at Seller's option. The time of delivery is not of the essence, and Seller will not be liable or responsible for any costs, charges, expenses, damages or for any penalty, liquidated or otherwise, for late or delayed delivery.

Claims for Damage or Shortages:

Any claims for shortages must be made within 10 days after the receipt of the merchandise. All preformed thermoplastic products are shipped from our warehouse in Thomasville, NC in good condition and packaged securely. Any shipment which arrives with visible signs of damage or missing packaging should be refused or thoroughly inspected with damage noted on the carrier's delivery ticket. Any claims for goods damaged (visible or concealed) must be made by the Buyer to the delivering carrier within 10 days after receipt of the merchandise.

Restocking Charges:

No merchandise may be returned for credit without the Seller's prior approval and a Return Merchandise Authorization number, and only with the transportation charges prepaid. A 15% (fifteen percent) restocking charge will be deducted from any credit issued. Returned merchandise will not be accepted after 90 days from the date of delivery.

Warranties:

Ennis-Flint warrants preformed thermoplastic pavement marking products, unless otherwise specified, to the original buyer against material defects for a period of one year from the date of delivery of the goods. The foregoing warranty is the only warranty whatsoever, expressed or implied, relating to the products. In no event will Seller be liable for any claims related to the products if the products have been misused, altered, or incorporated into any other product. Such misuse, alteration, or incorporation shall be deemed to be a waiver of all claims by Buyer. SELLER DISCLAIMS ALL OTHER EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR USE. Seller shall be

given, and any claim shall be subject to Seller being provided, a reasonable opportunity to investigate the products subject to any claim. Buyer shall not make any representation or warranty with respect to the products to any person or entity without the prior written consent of Seller.

Limitation of Seller's Liability:

NOTWITHSTANDING ANYTHING TO THE CONTRARY HEREIN, IN NO EVENT SHALL SELLER BE LIABLE HEREUNDER OR OTHERWISE FOR ANY EXEMPLARY, PUNITIVE, REMOTE, SPECULATIVE, CONSEQUENTIAL, SPECIAL OR INCIDENTAL DAMAGES OR LOSS OF PROFITS, AND NO CLAIM SHALL BE MADE OR AWARDED AGAINST SELLER, FOR ANY SUCH DAMAGES OR LOSS OF PROFITS. SELLER'S LIABILITY AND BUYER'S EXCLUSIVE REMEDY FOR ANY CAUSE OF ACTION ARISING IN CONNECTION WITH THE SALE OR USE OF THE PRODUCTS, WHETHER IN LAW OR IN EQUITY OR WHETHER IN CONTRACT OR IN TORT, AND WHETHER BASED UPON NEGLIGENCE, STRICT LIABILITY, BREACH OF WARRANTY, BREACH OF CONTRACT OR EQUITABLE PRINCIPLES, OR OTHERWISE, IS EXPRESSLY LIMITED TO, AT SELLER'S OPTION, REPAIR OR REPLACEMENT OF THE PRODUCTS WITH RESPECT TO WHICH DAMAGES ARE CLAIMED.

Important Notice:

Before using any product from the Manufacturer and Seller, the Buyer shall determine the suitability of the product for his or her intended use and the Buyer assumes all risk and liability whatsoever in connection therewith.

Intellectual Property Rights:

All of the intellectual property related to the products sold to Buyer is the sole and exclusive property of Seller. This Agreement is not a sale of any intellectual property related to the products and Buyer has no title to, or ownership in, such intellectual property. Buyer shall not analyze or otherwise examine any of Seller's products for the purpose of reverse engineering the formulations for such products. Buyer shall not repackage the products or remove any trademarks or copyright notices. Buyer shall not use or seek to register any trademark which is identical to or confusingly similar to any trademark which Seller owns or claims rights in anywhere in the world.

Right to Set Off:

Seller reserves the right to set off against any unpaid balance owing to Seller by Buyer, any sums owing by Seller to Buyer, whether arising out of these terms and conditions or otherwise.

Export Control:

Buyer acknowledges that the products may be subject to U.S. Export laws and regulations, and Buyer will not use, distribute or transfer any product, except in compliance with such laws and regulations.

Dispute Resolution:

Buyer and Seller waive the right to trial by jury and agree that any unresolved dispute or controversy arising under or in connection with the products shall be settled exclusively by arbitration in accordance with the rules of the American Arbitration Association (the "AAA") then in effect. Such arbitration shall be conducted by a single arbitrator in Greensboro, North Carolina. If Buyer and Seller are unable to agree on the arbitrator, the arbitrator shall be selected by AAA. Seller and Buyer shall share equally the costs of the arbitrator, unless the arbitrator determines otherwise. A decision by the arbitrator shall be final and binding, and judgment may be entered on the arbitrators' award.

Severability:

If any provision of these terms and conditions is held invalid, such invalidity shall not affect other provisions of application of these terms and conditions that can be given effect without the invalid provision or application, and to this end the provisions of these terms and conditions are declared to be severable.

Applicable Law:

These terms and conditions shall be governed by and construed in accordance with the laws of the State of North Carolina, without reference to conflicts of laws principles.

Flint T&C 010213

www.ennisflint.com
115 Todd Court
Thomasville, NC 27360
Office: 336-475-6600
Fax: 336-475-7900
Email: sales@ennisflint.com



ENNIS-FLINT
A Traffic Safety Solutions Company